









Package	Tape Width	Reel Size	Pitch	Packaging Quantity			Tape Orientation	OPN Suffix
	mm	inch	mm	Reel	Inner Box	Carton	Feed Direction	
				kpcs	kpcs	kpcs	→	
SOT-23	8	7	4	3	30	120		-F2
		13	4	10	NA	210		-F4
					20	100		-F5




Tape Width	A0(mm)	B0(mm)	B1(mm)	E(mm)	F(mm)	P0(mm)
8mm				1.75	3.5	4
(Tolerance)				±0.1	±0.05	±0.1


Tape Width	P1(mm)	P2(mm)	R(mm)	R0(mm)	T(mm)	T1(mm)	W(mm)
8mm	4	2	1.6	1	0.2	1.25	8
(Tolerance)	±0.1	±0.05	±0.1	±0.1	±0.02	±0.1	±0.1









13"CBGNA7"TL12



Tape Width	A(mm)	B(mm)	C(mm)	D(mm)	N(mm)	G(mm)	T(mm)
7 8mm	178	2.3	13.5	21.1			



Dimension	Specification(mm typical)		
	General		ESD/MBB Bag
Reel Size	7 inch		7 inch 13 inch
L	187 2		245 2 370 3
W	130 2		145 2 340 3
H	187 2		212 2 55 3



Dimension	Specification(mm typical)			
	General		ESD/MBB Bag	
Reel Size	7 inch	13 inch	7 inch	13 inch
L	390 5	355 5	510 5	385 5
W	275 5	345 5	305 5	365 5
H	207 5	290 5	235 5	315 5